



1 >





	302		N	IKUE		כני	0	
	CHANGESTATUS 3		CONTAINED IN NO. TIMES STATEMENT FAICE		IF InputRoof X	C	IF InputRoot.X	
FIG. 6	ABLE FOR NODE		CODE ST	8 IF Inp	8 IF Inp	1		
<pre></pre>	MULTIPLE CONDITION COVERAGE TABLE FOR NODE CHANGESTATUS 302		CONDITION	InputRoot.XML.e_Human.e_Occupation='CEO'	InputRoot.XML.e_Human.e_Occupation='CTO'	Innut Boot VM C II	oropatroc.amb.e_numan.e_Emp.e_Profession 8	
		700	304	306	308	310	010	

315					<u>F</u>									
	%0:						CONDITION	1-	1	66.6667	99	1		
FLOW	OVERAGE IS 81.	GE IS 66.0%	E IS 0.0%	%0	%0.99 SI 5	ORT	SQL STATEMENT COVERACE	-1		72.727	100			
SUMMARY REPORT FOR MESSAGE FLOW	PROCESSING NODE PERCENTAGE COVERAGE IS 81.0%	CONNECTION PERCENTAGE COVERAGE IS 66.0%	EXCEPTION PERCENTAGE COVERAGE IS 0.0%	SQL STATEMENT COVERAGE IS 81.0%	CONDITION PERCENTAGE COVERAGE IS 66.0%	PROCESSING NODES DETAILED REPORT	NODE ID	216a53ce-e300-0000-0080	7309e2ef-e300-0000-0080	1f5e63ce-e300-0000-0080	38c663ce-e300-0000-0080	02f843d3-e300-0000-0080	aae55ece-e300-0000-0080	
316	318	320 (322 V	324 S	326 ~	328 ~_ F	NODE LABEL	INPUT1	CHECK1	- INTERNALNODE1	CHANGESTATUS	OUTPUT1	OUTPUT2	
							330 🔿	332	334	999	338	340	342	_

